| | Application No. | Applicant(s) |
|---|--|--|
| | 10/657,155 | NAGAO ET AL. |
| Notice of Allowability | Examiner | Art Unit |
| | Paul J. Killos | 1625 |
| The MAILING DATE of this communication all claims being allowable, PROSECUTION ON THE MERITURE OF ALLOWABILITY IS NOT A GRANT OF PATE of the Office or upon petition by the applicant. See 37 CFR | rs is (OR REMAINS) CLOSED i L-85) or other appropriate comm NT RIGHTS. This application is | n this application. If not included unication will be mailed in due course. THIS |
| . This communication is responsive to | | |
| 2. ⊠ The allowed claim(s) is/are <u>1-15</u> . | | |
| B. The drawings filed on are accepted by the Ex | aminer. | |
| Acknowledgment is made of a claim for foreign prior a) All b) Some* c) None of the: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority documents International Bureau (PCT Rule 17.2(a)) * Certified copies not received: | s have been received. s have been received in Applicati ity documents have been receive | on No |
| Applicant has THREE MONTHS FROM THE "MAILING D noted below. Failure to timely comply will result in ABANI THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. | DONMENT of this application. | |
| 5. A SUBSTITUTE OATH OR DECLARATION must be INFORMAL PATENT APPLICATION (PTO-152) which | submitted. Note the attached EX ch gives reason(s) why the oath (| or declaration is deficient. |
| 6. CORRECTED DRAWINGS (as "replacement sheets (a) including changes required by the Notice of Drag 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Exampaper No./Mail Date Paper No./Mail Date Identifying indicia such as the application number (see 37 each sheet. Replacement sheet(s) should be labeled as su | tsperson's Patent Drawing Revieum. miner's Amendment / Comment of CFR 1.84(c)) should be written on | or in the Office action of the drawings in the front (not the back) of |
| DEPOSIT OF and/or INFORMATION about the attached Examiner's comment regarding REQUIREM | deposit of BIOLOGICAL MAT MENT FOR THE DEPOSIT OF B | TERIAL must be submitted. Note the IOLOGICAL MATERIAL. |
| Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO | -948) 6. Interview Paper No | nformal Patent Application (PTO-152) Summary (PTO-413), ./Mail Date s Amendment/Comment |

Application/Control Number: 10/657,155

Art Unit: 1625

EXAMINER'S AMENDMENT

In a telephone with Mr.Brett S. Sylvester on 28 August 2004, the Examiner was authorized to make the following changes:

Claim 5, line 1 after the number 3 insert –or--, after the number 4 delete the term "or", Claim 5, line 2, delete the number "14"

Insert the following claim:

15. (new) The process according to claim 14wherein at least one species of heavy metal compound is used as a catalyst and the reaction temperature is in the range of 90 to 170°C and the reaction pressure is in the range of 0.1 to 2.0 MpaG in step A.

An examiner's amendment to the record appears—below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Paul J. Killos whose telephone number is 5712720687miner can normally be reached on Mon-Fri. 8:30-6:00.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

Paul J. Killos Primary Examiner Art Unit 1625

pjk